


# A Graphical Calculus for Quantum Observables



Ross Duncan

Oxford University Computing Laboratory

Joint Work with Bob Coecke

## Motivation

- Quantum observables may be incompatible: position/momentum, polarisation, spin ...
- In traditional quantum logic approaches these observables are simply *incomparable* in the lattice.
- However if one wants to *compute* with quantum mechanics we need know how these observables relate to each other.

## Cloning and Deleting

Consider the following maps:

$$\delta_Z : |i\rangle \mapsto |ii\rangle \qquad \epsilon_Z : \sum_i |i\rangle \mapsto 1$$

- $\delta_Z$  is the *cloning* map for the basis  $|0\rangle, |1\rangle$ .
- $\epsilon_Z$  is the *uniform deleting* of this basis.





Together these maps describe how to embed classical data into the quantum state space.

Obviously  $\delta_Z$  is cannot clone all states:

$$\delta_Z \circ \epsilon_Z^\dagger = \delta_Z(|0\rangle + |1\rangle) = |00\rangle + |11\rangle$$


## Classical Objects

Represent maps constructed from  $\delta_Z$  and  $\epsilon_Z$  as graphs built up from:



# Algebraic Laws


Comonoid laws:



(And their duals, the monoid laws)


# Algebraic Laws

Special Frobenius laws:



## Spider Theorem

**Theorem 1.** *Any map constructed by composing  $\delta_Z$  and  $\epsilon_Z$ , and their adjoints is uniquely determined by the number of inputs and outputs.*



Therefore the graphical calculus for one classical object is rather uninteresting.

## Another Classical Structure

Can equally well use the  $X$  basis to define a classical structure:

$$\delta_X : |+\rangle \mapsto |++\rangle \qquad \epsilon_X : \sqrt{2} |0\rangle \mapsto 1$$

These obey all the same algebraic laws as  $\delta_Z, \epsilon_Z$ . Further more:


- $\sqrt{2} |0\rangle = \epsilon_X^\dagger$ ;
- $\delta_Z \epsilon_X^\dagger = \delta_Z |0\rangle = |00\rangle = \epsilon_X^\dagger \otimes \epsilon_X^\dagger$ ;
- $|+\rangle = \epsilon_Z^\dagger$
- $\delta_X \epsilon_Z^\dagger = \delta_X |+\rangle = |++\rangle = \epsilon_Z^\dagger \otimes \epsilon_Z^\dagger$



## The Hadamard Map

The *Hadamard map*  $H = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ 1 & -1 \end{pmatrix}$  enjoys a number of useful properties:

- Self adjointness:  $H = H^\dagger$ ; and unitarity:  $HH = \text{id}$ ;




- The Hadamard exchanges the  $X$  and  $Z$  bases.

Hence:

$$\delta_X = (H \otimes H)\delta_Z H \qquad \epsilon_X = \epsilon_Z H$$

## A 2nd Classical Structure


Represent the classical structure induced by  $H$  as a red dot:



We can immediately derive a law for changing the colour of dots by introducing  $H$  boxes. What other laws hold?


# Bialgebraic Laws for Non-commuting observables

Cloning Laws:




# Bialgebraic Laws for Non-commuting observables

Bialgebra Law:




## Bialgebraic Laws for Non-commuting observables

Dimension Law:




The pair of non-commuting observables fails to be a true bialgebra: every equation has a (hidden) scalar factor. Call this structure a *scaled bialgebra*.


# Scaled Bialgebra Laws



## A Useful Lemma




# A Useful Lemma







# A Useful Lemma




## A Useful Lemma




## A Useful Lemma




# A Useful Lemma




# A Useful Lemma




# A Useful Lemma



# A Useful Lemma



## A Useful Lemma



Therefore, the scaled bialgebra is in fact a *scaled Hopf algebra*, whose antipode is the identity times the dimension of the underlying space.




## Representing Quantum Logic Gates


$$\wedge Z = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & -1 \end{pmatrix} = \begin{array}{c} | \\ | \\ | \\ | \\ \hline \text{---} \text{---} \text{---} \text{---} \\ | \\ | \\ | \\ | \end{array}$$

$$\wedge X = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \end{pmatrix} = \begin{array}{c} | \\ | \\ | \\ | \\ \hline \text{---} \text{---} \\ | \\ | \\ | \\ | \end{array}$$


Example:  $\wedge Z \circ \wedge Z = \text{id}$




Example:  $\wedge Z \circ \wedge Z = \text{id}$




Example:  $\wedge Z \circ \wedge Z = \text{id}$




Example:  $\wedge Z \circ \wedge Z = \text{id}$




Example:  $\wedge Z \circ \wedge Z = \text{id}$



**Example:**  $\wedge Z \circ \wedge Z = \text{id}$




**Example:**  $3 \times \wedge X = \text{swap}$







**Example:**  $3 \times \wedge X = \text{swap}$




**Example:**  $3 \times \wedge X = \text{swap}$




**Example:**  $3 \times \wedge X = \text{swap}$




**Example:**  $3 \times \wedge X = \text{swap}$



**Example:**  $3 \times \wedge X = \text{swap}$



**Example:**  $3 \times \wedge X = \text{swap}$



## Incorporating Phases




Let  $\alpha \in (0, 2\pi)$ ; consider the maps:

$$Z_\alpha = \begin{pmatrix} 1 & 0 \\ 0 & e^{i\alpha} \end{pmatrix} = \text{---} \bigcirc_\alpha \text{---}$$

$$X_\alpha = HZ_\alpha H = \text{---} \bigcirc_\alpha \text{---}$$


# Incorporating Phases

$$Z_\alpha \circ Z_\beta = Z_{\alpha+\beta}$$






# Generalised Spider Law




## General unitary $U$

**Proposition 2.** *If  $U$  is a unitary on  $\mathbb{C}^2$  there exist  $\alpha, \beta, \gamma$  such that  $U = Z_\alpha X_\beta Z_\gamma$ .*


Here is (part of) a measurement based program to compute this:




General unitary  $U$




General unitary  $U$




General unitary  $U$



General unitary  $U$



General unitary  $U$



$$= Z_{\alpha} X_{\beta} Z_{\gamma}$$

## How do phases interact?

$$Z_\alpha |0\rangle = |0\rangle$$


$$Z_\alpha |1\rangle = e^{i\alpha} |1\rangle = |1\rangle$$



=




=






How do phases interact?



How do phases interact?




## “Negation”

$$X_\pi = X = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \because \begin{cases} |0\rangle \mapsto |1\rangle \\ |1\rangle \mapsto |0\rangle \end{cases}$$


$$\begin{array}{ccc} Q & \xrightarrow{\delta} & Q \otimes Q \\ \downarrow X & & \downarrow X \otimes X \\ Q & \xrightarrow{\delta} & Q \otimes Q \end{array}$$

“Negation”



## “Negation”

$$X :: |0\rangle + e^{i\alpha} |1\rangle \mapsto e^{i\alpha} |1\rangle + |0\rangle = |0\rangle + e^{-i\alpha} |1\rangle$$





## Example: Quantum Fourier Transform

Among the most important quantum algorithms, the quantum Fourier transform is a key stage of factoring.


$$|j_0 j_1 \cdots j_n\rangle \mapsto (|0\rangle + e^{2\pi i \alpha_0} |1\rangle)(|0\rangle + e^{2\pi i \alpha_1} |1\rangle) \cdots (|0\rangle + e^{2\pi i \alpha_n} |1\rangle)$$

where  $\alpha_k = 0.j_k \cdots j_n = \sum_{l=k}^n j_l / 2^k$

For 2 qubits:


$$\begin{aligned} |00\rangle &\mapsto (|0\rangle + |1\rangle)(|0\rangle + |1\rangle) & |10\rangle &\mapsto (|0\rangle + e^{i\pi} |1\rangle)(|0\rangle + |1\rangle) \\ |01\rangle &\mapsto (|0\rangle + e^{i\pi/2} |1\rangle)(|0\rangle + e^{i\pi} |1\rangle) & |11\rangle &\mapsto (|0\rangle + e^{i3\pi/2} |1\rangle)(|0\rangle + e^{i\pi} |1\rangle) \end{aligned}$$

# Example: Quantum Fourier Transform







# Example: Quantum Fourier Transform




# Example: Quantum Fourier Transform




# Example: Quantum Fourier Transform




# Example: Quantum Fourier Transform





# Example: Quantum Fourier Transform





## Example: Quantum Fourier Transform



## Example: Quantum Fourier Transform





# Example: Quantum Fourier Transform





## Example: Quantum Fourier Transform



which is the correct result!

## Conclusions

- Pairs of incompatible observables form a Hopf algebra-like structure.
- This structure captures a fundamental aspect of quantum mechanics.
- The axioms are sufficiently strong to derive the properties of quantum logic gates and prove the correctness of important quantum algorithms.

## Questions and Further Work

- What about completeness?
  - Are two observables sufficient?
  - Can we prove that there is another maximally unbiased basis for the qubit?
  - What about other dimensionalities?
- How special is the choice of the  $H$  map?
- Formal properties:
  - Confluence? Termination?
  - Can this be mechanized?
  - Induction principals for reasoning about graphical rewriting?
- We simulated the QFT algorithm: what is the complexity of this simulation? Can complexity be studied in this setting?